

# F-CY-JZ flexible, Cu-screened, EMC-preferred type, meter marking



A

Part No.	No. cores x cross-sec. mm²	Outer ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.	Part No.	No. cores x cross-sec. mm²	Outer ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.
16344	2 x 0,75	6,1	40,0	59,0	18	16393	2 x 1,5	7,0	63,0	88,0	16
16345	3 G 0,75	6,3	52,0	66,0		16394	3 G 1,5	7,5	80,0	100,0	16
16346	4 G 0,75	6,8	60,0	77,0	18	16395	4 G 1,5	8,1	97,0	126,0	16
16347	5 G 0,75	7,4	71,0	93,0	18	16396	5 G 1,5	9,0	119,0	160,0	16
16348	6 G 0,75	8,2	80,0	113,0	18	16397	7 G 1,5	9,8	147,0	208,0	16
16349	7 G 0,75	8,2	91,0	130,0	18	16398	8 G 1,5	11,4	170,0	244,0	16
16350	8 G 0,75	9,6	110,0	145,0	18	16399	10 G 1,5	12,6	193,0	315,0	16
16351	10 G 0,75	10,3	137,0	180,0	18	16400	12 G 1,5	12,8	267,0	338,0	16
16353	12 G 0,75	10,5	142,0	202,0	18	16401	14 G 1,5	13,5	283,0	383,0	16
16354	14 G 0,75	11,3	180,0	225,0	18	16402	16 G 1,5	14,4	315,0	424,0	16
16355	16 G 0,75	11,9	200,0	275,0	18	16403	18 G 1,5	15,4	374,0	479,0	16
16356	18 G 0,75	12,7	212,0	292,0	18	16449	19 G 1,5	15,4	386,0	508,0	16
16447	19 G 0,75	12,7	230,0	308,0	18	16404	20 G 1,5	16,1	396,0	545,0	16
16357	20 G 0,75	13,3	238,0	320,0	18	16405	21 G 1,5	17,0	425,0	560,0	16
16358	21 G 0,75	14,0	246,0	378,0	18	16406	24 G 1,5	18,2	458,0	690,0	16
16359	24 G 0,75	14,9	270,0	435,0	18	16407	25 G 1,5	18,4	526,0	705,0	16
16360	25 G 0,75	15,0	281,0	415,0	18	16450	27 G 1,5	18,4	531,0	774,0	16
16361	27 G 0,75	15,0	304,0	435,0	18	16408	28 G 1,5	19,1	541,0	810,0	16
16362	30 G 0,75	15,8	320,0	450,0	18	16409	30 G 1,5	19,1	555,0	830,0	16
16363	32 G 0,75	16,7	342,0	484,0	18	16410	35 G 1,5	20,8	645,0	890,0	16
16166	34 G 0,75	17,2	345,0	502,0	18	16451	37 G 1,5	20,8	674,0	945,0	16
16364	36 G 0,75	17,2	350,0	535,0	18	16411	40 G 1,5	22,6	725,0	1060,0	16
16448	37 G 0,75	17,2	361,0	592,0	18	16493	41 G 1,5	22,6	801,0	1071,0	16
16365	40 G 0,75	18,6	369,0	610,0	18	16412	50 G 1,5	24,7	885,0	1290,0	16
16491	41 G 0,75	18,6	400,0	622,0	18	16413	61 G 1,5	26,4	1100,0	1705,0	16
16366	50 G 0,75	20,3	461,0	777,0	18	16414	80 G 1,5	30,3	1324,0	2010,0	16
16367	61 G 0,75	21,7	540,0	900,0	18	16415	100 G 1,5	33,6	1641,0	2505,0	16
16368	80 G 0,75	24,8	711,0	1210,0	18						
16369	100 G 0,75	27,6	900,0	1445,0	18						
16370	2 x 1	6,4	50,0	65,0	17	16416	2 x 2,5	8,3	96,0	130,0	14
16371	3 G 1	6,7	60,0	80,0	17	16417	3 G 2,5	9,0	144,0	167,0	14
16372	4 G 1	7,2	71,0	98,0	17	16418	4 G 2,5	9,8	148,0	195,0	14
16373	5 G 1	8,0	88,0	127,0	17	16419	5 G 2,5	10,9	181,0	223,0	14
16374	6 G 1	8,7	97,0	144,0	17	16420	7 G 2,5	11,9	255,0	344,0	14
16375	7 G 1	8,7	111,0	158,0	17	16421	10 G 2,5	15,5	340,0	460,0	14
16376	8 G 1	10,1	127,0	197,0	17	16438	12 G 2,5	15,8	441,0	570,0	14
16377	10 G 1	11,2	150,0	232,0	17	16452	18 G 2,5	18,9	570,0	681,0	14
16378	12 G 1	11,4	184,0	260,0	17						
16379	14 G 1	12,0	196,0	302,0	17	16422	2 x 4	9,8	120,0	185,0	12
16380	16 G 1	12,8	209,0	346,0	17	16423	3 G 4	10,6	174,0	240,0	12
16381	18 G 1	13,5	260,0	380,0	17	16424	4 G 4	11,5	230,0	310,0	12
16352	19 G 1	13,5	280,0	412,0	17	16425	5 G 4	12,7	273,0	385,0	12
16382	20 G 1	14,3	317,0	440,0	17	16426	7 G 4	14,0	316,0	500,0	12
16383	24 G 1	16,0	320,0	493,0	17						
16384	25 G 1	16,2	349,0	534,0	17	16427	2 x 6	11,7	173,0	268,0	10
16439	27 G 1	16,2	400,0	562,0	17	16428	3 G 6	12,5	240,0	330,0	10
16385	28 G 1	17,0	408,0	595,0	17	16429	4 G 6	13,8	305,0	415,0	10
16386	30 G 1	17,0	441,0	616,0	17	16430	5 G 6	15,3	439,0	509,0	10
16387	34 G 1	18,5	486,0	741,0	17	16431	7 G 6	16,9	505,0	672,0	10
16446	37 G 1	18,5	519,0	790,0	17						
16388	40 G 1	19,9	510,0	835,0	17	16432	2 x 10	14,7	255,0	425,0	8
16492	41 G 1	19,9	531,0	843,0	17	16433	3 G 10	15,7	350,0	500,0	8
16389	50 G 1	21,8	625,0	1025,0	17	16434	4 G 10	17,3	535,0	783,0	8
16390	61 G 1	23,3	702,0	1205,0	17	16435	5 G 10	19,2	592,0	856,0	8
16391	80 G 1	26,6	920,0	1445,0	17	16436	7 G 10	21,4	810,0	1305,0	8
16392	100 G 1	29,7	1120,0	1613,0	17						
						16440	4 G 16	20,8	740,0	880,0	6
						16437	5 G 16	22,6	895,0	1295,0	6
						16441	4 G 25	24,9	1140,0	1570,0	4
						16442	5 G 25	27,8	1380,0	1965,0	4
						16443	4 G 35	28,4	1576,0	2070,0	2
						16444	5 G 35	31,6	1930,0	2690,0	2
						16445	4 G 50	34,6	2155,0	3015,0	1

Dimensions and specifications may be changed without prior notice. (RA01)



Process control for a large cabling machine at our Windsbach factory.