

# SY-JZ flexible, number coded, with steel wire braiding, meter marking



| Part No. | No. cores x cross-sec. mm² | Outer ø app. mm | Cop. weight kg / km | Weight app. kg / km | AWG-No. |
|----------|----------------------------|-----------------|---------------------|---------------------|---------|
| 12057    | 2 x 1,5                    | 8,9             | 29,0                | 129,0               | 16      |
| 12058    | 3 G 1,5                    | 9,3             | 43,0                | 149,0               | 16      |
| 12059    | 4 G 1,5                    | 9,9             | 58,0                | 185,0               | 16      |
| 12060    | 5 G 1,5                    | 10,8            | 72,0                | 205,0               | 16      |
| 12109    | 6 G 1,5                    | 11,6            | 87,0                | 255,0               | 16      |
| 12061    | 7 G 1,5                    | 12,5            | 101,0               | 285,0               | 16      |
| 12062    | 8 G 1,5                    | 13,6            | 115,0               | 340,0               | 16      |
| 12063    | 9 G 1,5                    | 14,3            | 130,0               | 347,0               | 16      |
| 12064    | 10 G 1,5                   | 14,9            | 144,0               | 418,0               | 16      |
| 12065    | 11 G 1,5                   | 15,1            | 158,0               | 430,0               | 16      |
| 12066    | 12 G 1,5                   | 15,1            | 173,0               | 444,0               | 16      |
| 12067    | 14 G 1,5                   | 15,7            | 202,0               | 533,0               | 16      |
| 12068    | 18 G 1,5                   | 17,3            | 259,0               | 593,0               | 16      |
| 12069    | 25 G 1,5                   | 20,9            | 360,0               | 781,0               | 16      |
| 12070    | 32 G 1,5                   | 22,6            | 461,0               | 1015,0              | 16      |
| 12071    | 34 G 1,5                   | 22,9            | 490,0               | 1124,0              | 16      |
| 12072    | 42 G 1,5                   | 24,6            | 605,0               | 1401,0              | 16      |
| 12073    | 50 G 1,5                   | 27,1            | 720,0               | 1583,0              | 16      |
| 12074    | 61 G 1,5                   | 29,8            | 878,0               | 1810,0              | 16      |
| 12075    | 80 G 1,5                   | 33,2            | 1152,0              | 2316,0              | 16      |
| 12076    | 100 G 1,5                  | 36,4            | 1440,0              | 2900,0              | 16      |
| 12077    | 2 x 2,5                    | 10,4            | 48,0                | 185,0               | 14      |
| 12078    | 3 G 2,5                    | 11,0            | 72,0                | 248,0               | 14      |
| 12079    | 4 G 2,5                    | 11,9            | 96,0                | 290,0               | 14      |
| 12080    | 5 G 2,5                    | 12,8            | 120,0               | 347,0               | 14      |
| 12081    | 7 G 2,5                    | 15,2            | 168,0               | 420,0               | 14      |
| 12082    | 12 G 2,5                   | 18,2            | 288,0               | 660,0               | 14      |
| 12083    | 14 G 2,5                   | 18,9            | 336,0               | 750,0               | 14      |
| 12084    | 18 G 2,5                   | 21,5            | 432,0               | 893,0               | 14      |
| 12085    | 20 G 2,5                   | 22,6            | 480,0               | 1169,0              | 14      |
| 12086    | 25 G 2,5                   | 25,5            | 600,0               | 1458,0              | 14      |
| 12087    | 30 G 2,5                   | 26,7            | 720,0               | 1686,0              | 14      |
| 12088    | 34 G 2,5                   | 28,7            | 816,0               | 1869,0              | 14      |
| 12089    | 50 G 2,5                   | 34,3            | 1200,0              | 2200,0              | 14      |
| 12090    | 61 G 2,5                   | 37,7            | 1464,0              | 3000,0              | 14      |

| Part No. | No. cores x cross-sec. mm² | Outer ø app. mm | Cop. weight kg / km | Weight app. kg / km | AWG-No.   |
|----------|----------------------------|-----------------|---------------------|---------------------|-----------|
| 12115    | 3 G 4                      | 12,6            | 117,0               | 350,0               | 12        |
| 12091    | 4 G 4                      | 13,9            | 154,0               | 428,0               | 12        |
| 12092    | 5 G 4                      | 15,0            | 192,0               | 504,0               | 12        |
| 12093    | 7 G 4                      | 16,4            | 269,0               | 640,0               | 12        |
| 12094    | 11 G 4                     | 22,0            | 422,0               | 1204,0              | 12        |
| 12095    | 4 G 6                      | 15,8            | 230,0               | 571,0               | 10        |
| 12096    | 5 G 6                      | 17,2            | 288,0               | 671,0               | 10        |
| 12097    | 7 G 6                      | 18,9            | 403,0               | 845,0               | 10        |
| 12098    | 4 G 10                     | 20,0            | 384,0               | 943,0               | 8         |
| 12099    | 5 G 10                     | 21,9            | 480,0               | 1065,0              | 8         |
| 12100    | 7 G 10                     | 24,2            | 672,0               | 1551,0              | 8         |
| 12101    | 4 G 16                     | 22,9            | 614,0               | 1360,0              | 6         |
| 12102    | 5 G 16                     | 25,5            | 768,0               | 1740,0              | 6         |
| 12103    | 7 G 16                     | 28,0            | 1075,0              | 2166,0              | 6         |
| 12104    | 4 G 25                     | 28,9            | 960,0               | 2020,0              | 4         |
| 12105    | 5 G 25                     | 31,8            | 1200,0              | 2465,0              | 4         |
| 12106    | 4 G 35                     | 32,2            | 1344,0              | 2570,0              | 2         |
| 12107    | 5 G 35                     | 36,4            | 1680,0              | 3185,0              | 2         |
| 12108    | 4 G 50                     | 38,2            | 1920,0              | 3513,0              | 1         |
| 12116    | 5 G 50                     | 43,2            | 2400,0              | 4248,0              | 1         |
| 12111    | 4 G 70                     | 46,8            | 2688,0              | 4810,0              | 2/0       |
| 12117    | 5 G 70                     | 51,8            | 3360,0              | 5880,0              | 2/0       |
| 12110    | 4 G 95                     | 51,4            | 3648,0              | 6360,0              | 3/0       |
| 12118    | 5 G 95                     | 56,4            | 4560,0              | 8071,0              | 3/0       |
| 12119    | 4 G 120                    | 56,3            | 4608,0              | 8170,0              | 4/0       |
| 12327    | 4 G 150                    | 63,5            | 5760,0              | 9970,0              | 300 kcmil |

Dimensions and specifications may be changed without prior notice. (RA01)

## Our Service on the Internet

Download centre • Logistic centre

Company • Products • Quality • News • Contact • Service • Opinion • Imprint

You are here: Home • Opinion

**Photovoltaic system**  
A range of wires and accessories specially developed for installing solar plants.

Your opinion is important for us

**Customer Satisfaction** ++ + - --

1. How do you rate our product range?

2. How do you rate the quality of our products?

3. How do you rate the price-performance ratio?

HELUKABEL world-wide

Grand Survey

please select...

## Your opinion is important to us

The greatest possible satisfaction of our customers is our highest goal. And so your opinion, suggestions or criticism are very important to us. We would be pleased if you could fill out the catalogue of questions and send it to us.

[www.helukabel.de](http://www.helukabel.de)